

**ADDITIONS AND CORRECTIONS OF THE PREVIOUS
LAND PLANARIAN INDICES OF THE WORLD
(TURBELLARIA, SERIATA, TRICLADIDA, TERRICOLA)
ADDITIONS AND CORRECTIONS OF THE PREVIOUS
LAND PLANARIAN INDICES OF THE WORLD – 9**

by

MASAHARU KAWAKATSU, ROBERT E. OGREN,
EUDOXIA MARIA FROEHLICH and GEN-YU SASAKI

INTRODUCTION

In the 2000 issue of this series by KAWAKATSU, OGREN & FROEHLICH (BFC No. 38, II: 83-103), we have published the remaining half of the “Additions and Corrections of the Previous Land Planarian Indices of the World – 8” as a Part (2). At the end of that article, we have added reproductions of STIMPSON’s 3 old papers (1857 – Land planarian section only –, 1861a and b).

The present publication is a continuation of our series: “Additions and Corrections of the Previous Land Planarian Indices of the World – 9”.

The CD ROM Version (19 PDFs) of a complete set of our “Land Planarian Indices Series (1987-2000; 563 pages in total)” published previously is nearly completed. This is due to the Herculean effort of Mr. Gen-yu SASAKI. And, he is invited to a new coauthor of this series after the year 2001.

Abbreviations: BFC = Bulletin of Fuji Women’s College (Ser. II); OC = Occasional Publications, Biological Laboratory of Fuji Women’s College, Sapporo (Hokkaidô), Japan.

**Additions and Corrections of the Previous
Land Planarian Indices of the World – 9**

A. BIPALIIDAE INDEX (1987: Bull. Fuji Women’s College, No. 25, Ser. II, pp. 79-119; 1988: Occ. Publ., Biol. Lab. Fuji Women’s College, No. 19, pp. 1-16; 1992: Bull. Fuji Women’s College, No. 30, Ser. II, pp. 62-75; 1993: *Ibid.*, No. 31, Ser. II, pp. 80-81; 1994: *Ibid.*, No. 32, Ser. II, pp. 73-76; 1995: *Ibid.*, No. 33, Ser. II, pp. 78-81; 1996: *Ibid.*, No. 34, Ser. II, pp. 87-93; 1997: *Ibid.*, No. 35, Ser. II, p.56; 1998: *Ibid.*, No. 36, Ser. II, pp. 75-76; 1999:

Ibid., No. 37, Ser. II, 94, 97, 99-101; 2000: *Ibid.*, No. 38, Ser. II, 83-85).

BFC25. Pp. 87-88. *Bipalium fuscolineatum* Kaburaki, 1922. Add the following item.

Bipalium fuscolineatum: Nunomura & Hirauchi, 2001: 35. Toyama, Honshû / Japan.

BFC25. Pp. 91-93. *Bipalium kewense* Moseley, 1878.

Add the following items.

Bipalium kewense: Froehlich, 1966: 299-300. Brazil.

Bipalium kewense: Metos, Giribet & Carranza, 1998: 267, 272.

Bipalium kewense: Roccini, Alvarez & Almeida, 1998: 56 (A37). Brazil.

Bipalium kewense: Fernandes, Alvarez, Gama & Silveira, 2001: 173-177, figs. 1-12 (HI). São Paulo / Brazil.

Bipalium kewense: Kubota, Yamamoto & Kawakatsu, 2001: 6-11, figs. 2, 4A-B, 5A, 6B (DB, DVB, chromosomes, idiogram). Tanabe, Wakayama Pref., Honshû / Japan.

Bipalium kewense: Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131. 2x=18. Nagasaki and Nagayo-chô, Nagasaki Pref., Kyûshû / Japan.

BFC25. Pp. 96-97. *Bipalium multilineatum* Makino et Shirasawa, 1983. Add the following items.

Bipalium multilineatum: Kubota, Yamamoto & Kawakatsu, 2001: 6-11, figs. 1, 6C (DB, DVB). Tanabe, Wakayama Pref., Honshû, Japan.

Bipalium multilineatum: Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131. 2x=10. Nagasaki and the vicinity, Nagasaki Pref., Kyûshû. / Japan.

BFC25. P. 97. *Bipalium nobile* Kawakatsu et Makino, 1982. Add the following items.

Bipalium nobile : Makino, 2000: 68-69, photos 1-2 (DB), figs. 1-2 (distribution map, regeneration experiment). Tamano, Okayama Pref., Honshû / Japan.

Bipalium nobile : Kubota, Yamamoto & Kawakatsu, 2001: 9-10, fig. 6A (DVB). Tanabe, Wakayama Pref., Honshû / Japan.

Bipalium nobile : Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131. 2x=10. Nagasaki, Nagasaki Pref., Kyûshû / Japan.

BFC25. P. 111. Insert a new genus and species list before the References. Notice the Genus *Novibipalium* Kawakatsu, Ogren et Froehlich, 1998. BFC37, p. 94. See also BFC38, p. 85.

Genus *Humbertium* Ogren et Sluys, 2001.

Humbertium n. g. Ogren & Sluys, 2001: 201. Type species: *Perocephalus ravenale* von Graff, 1899.

Literature: Ogren & Sluys, 2001: 201. See also Ogren & Sluys, 1998.

Humbertium ceres (Moseley, 1875).

Humbertium ceres comb. nov. Ogren & Sluys, 2001: 201-204. Sri Lanka.

Humbertium core (de Beauchamp, 1930).

Humbertium core comb. nov. Ogren & Sluys, 2001: 201-204. India.

Humbertium depressum (Ritter-Záhony, 1905).

Humbertium depressum comb. nov. Ogren & Sluys, 2001: 201-204. India; Sri Lanka.

Humbertium diana (Humbert, 1862).

Humbertium diana comb. nov. Ogren & Sluys, 2001: 201-204. Sri Lanka.

Humbertium dodabettae (de Bauchamp, 1939).

Humbertium dodabettae comb. nov. Ogren & Sluys, 2001: 201-204, fig. 3 (FCA). India.

Humbertium ferrugineoideum (Sabussowa, 1925).

Humbertium ferrugineoideum comb. nov. Ogren & Sluys, 2001: 201-204. Madagascar?

Humbertium ferrugineum (von Graff, 1899).

Humbertium ferrugineum comb. nov. Ogren & Sluys, 2001: 201-204. Madagascar.

Humbertium girardi (von Graff, 1899).

Humbertium girardi comb. nov. Ogren & Sluys, 2001: 201-204. Madagascar.

Humbertium kelleri (von Graff, 1899).

Humbertium kelleri comb. nov. Ogren & Sluys, 2001: 201-204. Madagascar.

Humbertium longicanale (Sabussowa, 1925).

Humbertium longicanale comb. nov. Ogren & Sluys, 2001: 201-204. Fig. 1 (FCA). China.

Humbertium negritorum palnisium (de Beauchamp, 1930).

Humbertium negritorum palnisium comb. nov. Ogren & Sluys, 2001: 201-204. India.

Note. *Bipalium negritorum* von Graff, 1899, from The Philippines was described based upon non-sexual specimens. Cf. Ogren & Kawakatsu (1925: BFC25, p. 97).

Humbertium penangense (Kawakatsu, 1986).

Humbertium penangense comb. nov. Ogren & Sluys, 2001: 201-204. W. Malaysia.

Humbertium penrissenense (de Beauchamp, 1925).

Humbertium penrissenense comb. nov. Ogren & Sluys, 2001: 201-204. Sarawak in Borneo / E. Malaysia.

Note. Cf. Ogren, Kawakatsu & Froehlich (1999: BFC37, pp. 93-94).

Humbertium phoebe (Humbert, 1862).

Humbertium phoebe comb. nov. Ogren & Sluys, 2001: 201-204. Sri Lanka.

Humbertium proserpina (Humbert, 1862).

Humbertium proserpina comb. nov. Ogren & Sluys, 2001: 201-204. Sri Lanka.

Humbertium pseudophallicum (de Beauchamp, 1925).

Humbertium pseudophallicum comb. nov. Ogren & Sluys, 2001: 201-204. Sarawak in Borneo / E. Malaysia.

Humbertium ravenalae (von Graff, 1899).

Humbertium ravenalae comb. nov. Ogren & Sluys, 2001: 201-204. Madagascar.

Humbertium sikorai (von Graff, 1899).

Humbertium sikorai comb. nov. Ogren & Sluys, 2001: 201-204. Madagascar.

Humbertium umbrinum (Geba, 1909).

Humbertium umbrinum comb. nov. Ogren & Sluys, 2001: 201-204, fig. 2 (FCA). Madagascar.

Humbertium univittatum subboreale (Sabussowa, 1925).

Humbertium univittatum subboreale comb. nov. Ogren & Sluys, 2001: 201-204. China.

Note. *Bipalium univittatum* Grube, 1866, from Madras in India was described based upon non-sexual specimens. Later, the genital anatomy of this species was reported by von Graff (1899, p. 216, fig. 63, FCA; loc. Madras) and de Beauchamp (1930, p. 682, fig. 3, FCA; loc. Nilgiris and Anaimalais, Palnis in India).

Humbertium voighti (von Graff, 1899).

Humbertium voighti comb. nov. Ogren & Sluys, 2001: 201-204. Madagascar.

Humbertium woodworthi (von Graff, 1899).

Humbertium woodworthi comb. nov. Ogren & Sluys, 2001: 201-204, fig. 4 (FCA). Madagascar.

UNDESCRIBED BIPALIID SPECIES (1987: BFC25, pp. 107-109; 1992: BFC30, pp. 73-75; 1993: BFC31, p. 81; 1994: BFC32, pp. 75-76; 1995: BFC33, pp. 80-81; 1996: BFC34, pp. 88-89; 1997: BFC35, p. 56; BFC37, p. 97; 2000: BFC38, pp. 84-85).

Bipalium sp. used in Mizuno & Takeda's experiments, 1988.

Bipalium sp. : Mizuno & Takeda, 1988a: 733-734, 737, table 1. Chiba Pref., Honshû / Japan.

Bipalium sp. : Mizuno & Takeda, 1988b: 739-740, 745, table 1.

Bipalium spp. used in Shirasawa & Yoshihama's experiments, 2000.

Bipalium sp. : Shirasawa & Yoshihama, 2000a: 54. Tôkyô? / Japan.

Bipalium sp. : Shirasawa & Yoshihama, 2000b: 38.

Bipalium sp. : Shirasawa & Yoshihama, 2001: 39-49, figs. 1-2 (DB and cut-levels of animals)(pls. 1-5: histological photos). Tôkyô and the vicinity / Japan.

Bipalium sp. Kumamoto-1. Yamamoto, 2000.

Bipalium sp. Kumamoto-1: Yamamoto, 2000: 39-41, figs. 1-4 (map, DB, VB, chromosomes, idiogram: 2x=10). Kashima-chô, Kumamoto Pref., Kyûshû / Japan.

BFC38. P. 84. *Bipalium* sp. Nagasaki-1. Kawakatsu, Yamamoto, Ogren & Takai, 2000. Add the following items.

Bipalium sp. Nagasaki-1: Yamamoto, 2000: 41, figs. 5-6 (DB, VB). Isahaya, Nagasaki Pref., Kyûshû / Japan.

Bipalium sp. Nagasaki-1: Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131. 2x=10. Isahaya, Nagasaki Pref., Kyûshû / Japan.

BFC38. Pp. 84-85. *Bipalium* sp. Nagasaki-2. Kawakatsu, Yamamoto, Ogren & Takai, 2000. Add the following item.

Bipalium sp. Nagasaki-2: Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131. 2x=10. Shimabara, Nagasaki Pref., Kyûshû / Japan.

BFC38. P. 85. *Bipalium* sp. Nagasaki-3. Kawakatsu, Yamamoto, Ogren & Takai, 2000. Add the following item.

Bipalium sp. Nagasaki-3: Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131, 2x=10. Shimabara, Nagasaki Pref., Kyûshû / Japan.

BFC38. P. 85. *Bipalium* sp. Nagasaki-4. Kawakatsu, Yamamoto, Ogren & Takai, 2000. Add the fol-

lowing item.

Bipalium sp. Nagasaki-4: Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131. 2x=10. Nagasaki, Nagasaki Pref., Kyûshû / Japan.

BFC38. P. 85. *Bipalium* sp. Nagasaki-5. Kawakatsu, Yamamoto, Ogren & Takai, 2000. Add the following items.

Bipalium sp. Nagasaki-5?: Kubota, Yamamoto & Kawakatsu, 2001: 6-11, figs. 3, 4C-D, 5A (DB, chromosomes, idiogram). 2x=12. Tanabe, Wakayama Pref., Honshû / Japan.

Bipalium sp. Nagasaki-5: Yamamoto, Takai, Ogren & Kawakatsu, 2001: 131. 2x=12. Shimabara and Takaki-chô, Nagasaki Pref., Kyûshû / Japan.

B. RHYNCHODEMIDAE INDEX, PART I: RHYNCHODEMINAE (1988: Bull Fuji Women's College, No. 26, Ser. II. 39-91; 1992: *Ibid.*, No. 30, Ser. II, pp. 75-78; 1993: *Ibid.*, No. 31, Ser. II, p. 81; 1994: *Ibid.*, No. 32, Ser. II, p. 76; 1995: *Ibid.*, No. 33, Ser. II, p. 81; 1996: *Ibid.*, No. 34, Ser. II, p. 89; 1997: *Ibid.*, No. 35, Ser. II, pp. 56-57; 1998: *Ibid.*, No. 36, Ser. II, 76; 1999: *Ibid.*, No. 37, Ser. II, 101-103; 2000: *Ibid.*, No. 38, Ser. II, 85-86).

BFC26. Pp. 54-66. *Dolichoplana carvalhoi* Corrêa, 1947. Add the following items.

Dolichoplana carvalhoi : Froehlich, 1966: 299-300. Brazil.

Dolichoplana carvalhoi : Alvarez & Almeida, 1996b: 113 (A89). Chromosome nos. (2x=14). São Paulo / Brazil.

Dolichoplana carvalhoi : Alvarez & Almeida, 1998b: 55 (A33). Chromosome nos. (3x=21). São Paulo / Brazil.

BFC26. Pp. 57-58. *Dolichoplana striata* Moseley, 1877. Add the following item.

Dolichoplana striata : Froehlich, 1966: 299. Brazil

BFC26. Pp. 64-65. *Platydemus manokwari* de Beauchamp, 1962. Add the following items.

Manokwari flatworm *Platydemus* : Pearce-Kelly & Clarke, 1995: 13.

Platydemus manokwari : Alvarez & Almeida, 1996b: 113 (A89). Chromosome nos. (2x=12). São Paulo / Brazil.

UNDESCRIBED RHYNCHODEMIDAE (Rynchodeminae) SPECIES (1998: BFC26, pp. 82-84; 1992: BFC30, p. 78; 1994: BFC32, p. 76; 1997: BFC35, p. 57; 2000: BFC38, p. 86).

Not reported during the past one year.

C. RHYNCHODEMIDAE INDEX, PART II : MICROPLANINAE (1989: Bull. Fuji Women's College, No. 27, Ser. II, pp. 53-111; 1992: *Ibid.*, No. 30, Ser. II, 78-80; 1993: *Ibid.*, No. 31, Ser. II, pp. 81-82; 1994: *Ibid.*, No. 32, Ser. II, 76-77; 1995: *Ibid.*, No. 33, Ser. II, p. 81; 1996: *Ibid.*, No. 34, Ser. II, p. 89; 1997: *Ibid.*, No. 35, Ser. II, p. 57; 1998: *Ibid.*, No. 36, Ser. II, pp. 76-77; 2000: *Ibid.*, No. 38, Ser. II, 86-89).

BFC27. P. 64. *Microplana giustii* Minelli, 1976. Add the following item.

Microplana giusti : Mateos, Giribet & Carranza, 1998: 272.

BFC27. P. 65. *Microplana henrici* (Bendle, 1908). Add the following item.

Microplana henrici : Mateos, Giribet & Carranza, 1998: 272.

BFC27. P. 66. *Microplana humicola* Vejdovsky, 1890. Add the following item.

Microplana humicola : Mateos, Giribet & Carranza, 1998: 272.

BFC27. P. 67. *Microplana mahnerti* Minelli, 1977. Add the following items.

Microplana mahnerti : Alvarez & Almeida, 1996b: 113 (A89). Chromosome nos. (2x=10).

Microplana mahnerti : Mateos, Giribet & Carranza, 1998: 272.

BFC27. P. 67. Insert a new species and new species list next to *Microplana montoyai*. *Microplana nana* Mateos, Giribet et Carranza, 1998.

Microplana nana sp. nov. : Mateos, Giribet & Carranza, 1998: 267-275, figs. 1-14 (a map showing the localities, FCA, HI, PCA, agarose gel electrophoresis). Spanish Pyrenees, Iberian Peninsula / Spain.

Note. This paper can be seen in a web article. <http://www.uva.nl/ctz/vol67/nr4/art04/6704a04.html>. Cf. Kawakatsu, Ogren & Froehlich, 2000 (BFC38, p. 89, Commentary). Delete Commentary (from the bottom-left to top-right, 13 lines). It was a misunderstanding of the authors of the Index.

BFC27. P. 68. *Microplana perereca* Marcus et du Bois-Reymond Marcus, 1959. Add the following item.

Microplana perereca : Mateos, Giribet & Carranza, 1998: 267, 272.

BFC27. P. 69. *Microplana pyrenaica* (von Graff, 1893). Add the following item.

Microplana pyrenaica : Mateos, Giribet & Carranza, 1998: 267, 272.

BFC27. Pp. 70-71. *Microplana scharffi* (von Graff,

1896). Add the following item.

Microplana scharffi : Mateos, Giribet & Carranza, 1998: 272.

BFC27. Pp. 71-72. *Microplana styriaca* (Freisling, 1935). Add the following item.

Microplana styriacus : Mateos, Giribet & Carranza, 1998: 272. Spelling error.

BFC27. Pp. 72-77. *Microplana terrestris* (Müller, 1774). Add the following items.

Microplana terrestris : Alvarez & Almeida, 1996a: 113 (A88).

Microplana terrestris : Alvarez & Almeida, 1998: 55 (A32).

Microplana terrestris : Garcia, Alvarez & Almeida, 1998: 56 (A35).

Microplana terrestris : Mateos, Giribet & Carranza, 1988: 267-268, 272-275, figs. 1, 9-14 (a map showing the locality, HI, PCA, agarose gel electrophoresis). Spain.

UNDESCRIBED RHYNCHODEMIDAE (Microplaninae) SPECIES (1988: BFC26, pp. 82-84; 1997: BFC35, p. 57; 2000: BFC38, p. 89).

Rhynchodemid-Microplaninae spp. of NW Caucasus. Bakhmadze & Kiiashko, 2000.

Rhynchodemid-Microplaninae spp. : Bakhmadze & Kiiashko, 2000: 33-36, figs 1-3 (DB, DVH). NW Caucasus / Russia.

Note. An English abstract of this Russian paper was added in their reprint.

D. GEOPLANIDAE INDEX, PART I: GEOPLANINAE (1990: Bull. Fuji Women's College, No. 28, Ser. II, pp. 79-166; 1992: *Ibid.*, No. 30, Ser. II, pp. 80-89; 1993: *Ibid.*, No. 31, Ser. II, p. 82; 1994: *Ibid.*, No. 32, Ser. II, p. 77; 1995: *Ibid.*, No. 33, Ser. II, pp. 81-82; 1998: *Ibid.*, No. 36, Ser. II, 77-78; 2000: *Ibid.*, No. 38, Ser. II, 89-91).

BFC28. Pp. 97-98. *Geobia subterranea* (Schultze et Müller, 1857). Add the following item.

Geobia subterranea : Froehlich, 1966: 300. Brazil.

BFC28. P. 115. *Geoplana (Geoplana) beckeri* Froehlich, 1959. Add the following item.

Geoplana beckeri : Leal-Zanchet & Carbayo, 2001: 443.

BFC28. P. 116. *Geoplana (Geoplana) burmeisteri* Schultze et Müller, 1857. Add the following items.

Geoplana burmeisteri : Froehlich, 1966: 299. Brazil.

Geoplana burmeisteri : Alvarez, Almeida & E. M. Froehlich, 1995: 434 (C51). Chromosome nos. (2x=14). Brazil.

- Geoplana burmeisteri* : Alvarez & Almeida, 1996a: 113 (A88). Chromosome nos. (2x=14).
- Geoplana burmeisteri* : Alvarez & Almeida, 1998a: 55 (A32). Chromosome nos. (2x=14).
- Geoplana burmeisteri* : Alvarez & Almeida, 1998c: 55 (A34). Chromosome nos. (2x=14).
- Geoplana burmeisteri* : Garcia, Alvarez & Almeida, 1998a: 56 (A35). Brazil.
- Geoplana burmeisteri* : Alvarez & Almeida, 2000: 3-4 (CA008). Chromosome nos. (2x=14). Brazil.
- BFC28. Pp. 116-117. *Geoplana (Geoplana) caapora* Froehlich, 1958. Add the following item.
Geoplana caapora : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. P. 117. *Geoplana (Geoplana) carinata* Riestler, 1938. Add the following item.
Geoplana carinata : Alvarez & Almeida, 1998b: 55 (A34). Brazil.
- BFC28. P. 117. *Geoplana (Geoplana) carubata* Riestler 1837. Add the following item.
Geoplana carinata : Alvarez & Almeida, 1998b: 55 (A34). Brazil.
- BFC28. P. 117. *Geoplana (Geoplana) carrierei* von Graff, 1897. Add the following item.
Geoplana carrierei : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. P. 118. *Geoplana (Geoplana) chiuna* E. M. Froehlich, 1955. Add the following item.
Geoplana chiuna : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. Pp. 118-119. *Geoplana (Geoplana) crawfordi* de Beauchamp, 1939. Add the following item.
Geoplana crawfordi : Leal-Zanchet & Carbayo, 2001: 443-444. Brazil.
- BFC28. P. 119. *Geoplana (Geoplana) crioula* E. M. Froehlich, 1955. Add the following item.
Geoplana crioula : Leal-Zanchet & Carbayo, 2001: 443-444. Brazil.
- BFC28. Pp. 120-121. *Geoplana (Geoplana) fragai* Froehlich, 1955. Add the following item.
Geoplana fragai : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. P. 121. Insert a new species and new species list next to *Geoplana (G.) fragai*. *Geoplana (Geoplana) franciscana* Leal-Zanchet et Carbayo, 2001.
Geoplana franciscana sp. nov. : Leal-Zanchet & Carbayo, 2001: 433-440, 443-446, figs. 1-8 (DB, DH, FCA, PCA, HI). National Forest of São Francisco de Paula, Rio Grande do Sul / Brazil.
- BFC28. P. 121. *Geoplana (Geoplana) fryi* von Graff, 1899. Add the following item.
Geoplana fryi : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. P. 121. *Geoplana (Geoplana) gaucha* Froehlich, 1959. Add the following item.
Geoplana gaucha : Leal-Zanchet & Carbayo, 2001: 433, 443. Brazil.
- BFC28. Pp. 121-122. *Geoplana (Geoplana) goettei* Schirch, 1929. Add the following item.
Geoplana goettei : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. P. 122. *Geoplana (Geoplana) incognita* Riestler, 1938. Add the following item.
Geoplana incognita : Leal-Zanchet & Carbayo, 2001: 443-444. Brazil.
- BFC28. P. 123. *Geoplana (Geoplana) ladislavii* von Graff, 1899. Add the following items.
Geoplana ladislavii : Roccini, Alvarez & Almeida, 1998: 56 (A37). Chromosome nos. (2x=14). Brazil.
Geoplana ladislavii : Carbayo, Leal-Zanchet & Vieira, 2001: 223-224, table 1. National Forest of São Francisco de Paula, Rio Grande do Sul / Brazil.
- BFC28. Pp. 124-125. *Geoplana (Geoplana) marginata* Schultze et Müller, 1857. Add the following item.
Geoplana marginata : Almeida, Takano & E. M. Froehlich, 1995: 435 (C52). Chromosome nos. (2x=14). Brazil.
- BFC28. P. 125. *Geoplana (Geoplana) marmorata* Schultze et Müller, 1857. Add the following item.
Geoplana marmorata : Garcia, Alvarez & Almeida, 1998b: 56 (A36). Chromosome nos. (2x=28). Brazil.
- BFC28. P. 125. Insert a species and species list next to *Geoplana (G.) marmorata*. *Geoplana (Geoplana) matuta* E. M. Froehlich, 1955. Add the following items.
Notogynaphallia matuta : Ogren & Kawakatsu, 1990. BFC28: 142.
Geoplana matuta : Leal-Zanchet & Carbayo, 2001: 433, 443. Brazil.
- BFC28. P. 126. *Geoplana (Geoplana) mirim* E. M. Froehlich, 1972. Add the following item.
Geoplana mirim : Leal-Zanchet & Carbayo, 2001: 443-444. Brazil.
- BFC28. P. 127. *Geoplana (Geoplana) multicolor* von Graff, 1899. Add the following items.
Geoplana multicolor : Froehlich, 1966: 299. Brazil.
Geoplana multicolour : Leal-Zanchet & Carbayo, 2001: 443. Spelling error. Brazil.
- BFC28. P. 129. *Geoplana (Geoplana) pavani* Marcus, 1951. Add the following item.
Geoplana pavani ? : Carbayo, Leal-Zanchet & Vieira, 2001: 223-224, table 1. National

- Forest of São Francisco de Paula, Rio Grande do Sul / Brazil.
- BFC28. P. 129. *Geoplana (Geoplana) placilla* E. M. Froehlich, 1978. Add the following item.
Geoplana placilla : Leal-Zanchet & Carbayo, 2001: 443-444.
- BFC28. P. 130. *Geoplana (Geoplana) preta* Riester, 1938. Add the following item.
Geoplana preta : Leal-Zanchet & Carbayo, 2001: 443-444.
- BFC28. P. 130. *Geoplana (Geoplana) quagga* Marcus, 1951. Add the following items.
Geoplana quagga : Alvarez, Almeida & E. M. Froehlich, 1995b: 434 (C51). Chromosome nos. (2x=28). Brazil.
Geoplana quagga : Alvarez & Almeida, 1996a: 113 (A88). Chromosome nos. (2x=28). Brazil.
Geoplana quagga : Alvarez & Almeida, 1998a: 55 (A32). Chromosome nos. (2x=28). São Paulo / Brazil.
Geoplana quagga : Garcia, Alvarez & Almeida, 1998a: 56 (A35). São Paulo / Brazil.
- BFC28. P. 132. *Geoplana (Geoplana) saima* du Bois-Reymond Marcus, 1951. Add the following item.
Geoplana saima : Leal-Zanchet & Carbayo, 2001: 443-444.
- BFC28. P. 132. *Geoplana (Geoplana) suva* E. M. Froehlich, 1959. Add the following item.
Geoplana suva : Leal-Zanchet & Carbayo, 2001: 443-444. Brazil.
- BFC28. P. 130. *Geoplana (Geoplana) tapira* C. G. Froehlich, 1958. Add the following item.
Geoplana tapira : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. P. 133. Insert next to *Geoplana (G.) tapira*.
Geoplana (Geoplana) tuxaua E. M. Froehlich, 1955. Add the following items.
Notogynaphallia tuxaua : Ogren & Kawakatsu, 1990. BFC28: 145.
Geoplana tuxaua : Leal-Zanchet & Carbayo, 2001: 433, 443-444. Brazil.
- BFC28. P. 134. *Geoplana (Geoplana) vaginuloides* (Darwin, 1844). Add the following item.
Geoplana vaginuloides : Leal-Zanchet & Carbayo, 2001: 443. Brazil.
- BFC28. P. 138. *Issoca rezendei* (Schirch, 1929). Add the following item.
Issoca rezendei : Almeida, Takano & E. M. Froehlich, 1995a: 435 (C52). Chromosome nos. (2x=14). Brazil.
- BFC28. Pp. 139-140. *Notogynaphallia abundans* (von Graff, 1889). Add the following items.
Notogynaphallia abundans : Rocini, Alvarez & Almeida, 2000: 3 (CA006).
Notogynaphallia abundans : Leal-Zanchet & E. M. Froehlich, 2001: 225. National Forest of São Francisco de Paula, Salvador do Sul, Novo Hamburgo and São Leopoldo, Rio Grande do Sul / Brazil.
Note. The species has a yellowish dorsal coloration with 7 dark, longitudinal stripes. Cf. Kawakatsu, Ogren & Froehlich (2000). BFC38, p. 90. Brazil.
- BFC28. P. 141. *Notogynaphallia caissara* (E. M. Froehlich, 1955). Add the following items.
Notogynaphallia caissara : Rocini, Alvarez & Almeida, 2000: 3 (CA006). Brazil.
Geoplana caissara : Leal-Zanchet & E. M. Froehlich, 2001: 225.
- BFC28. P. 142. *Notogynaphallia goetschi* (Riester, 1938). Add the following items.
Notogynaphallia goetschi : Leal-Zanchet & Carbayo (2001): 433, 444. Brazil.
- BFC28. P. 142. Insert a new species and new species list next to *Notogynaphallia goetschi*.
Notogynaphallia guaiana Leal-Zanchet et Carbayo, 2001. Add the following item.
Notogynaphallia guaiana sp. nov.: Leal-Zanchet & Carbayo, 2001: 433, 439-446, figs. 9-14 (DB, DH, FCA, PCA, HI). National Forest of São Francisco de Paula, Rio Grande do Sul / Brazil.
- BFC30. Pp. 86-87. *Notogynaphallia marginata* (von Graff, 1899). Add the following items.
Notogynaphallia marginata [sensu] Graff, 1899: Carbayo, Leal-Zanchet & Vieira, 2001: 223-224. National Forest of São Francisco de Paula, Rio Grande do Sul / Brazil.
Notogynaphallia marginata sensu Graff: Leal-Zanchet & E. M. Froehlich, 2001: 225.
Note. nec "*Notogynaphallia marginata*" [sensu] Marcus, 1951, in Carbayo, Leal-Zanchet & Vieira, 2001: 223-224; nec *N. marginata* sensu Marcus, in Leal-Zanchet & E. M. Froehlich, 2001: 225-226. The species separated from *N. marginata* (von graff, 1899) will be renamed by Leal-Zanchet & E. M. Froehlich. Cf. Kawakatsu, Ogren & Froehlich (2000). BFC38: 90-91.
- BFC28. P. 147. *Pasipha pasipha* (Marcus, 1951). Add the following items.
Pasipha pasipha : Garcia, Alvarez & Almeida, 1998a: 56 (A35). Chromosome nos. (2x=14, 2x=28). São Paulo / Brazil.
Note. For *Pasipha pashipha*, they wrote: "Essa análise revelou tratar-se de indivíduos mixo-

plóides, constituídos por células diplóides (2n=2x=14 chromossomos) e células tetra-plóides (2n=2x=28 chromossomos).

Probably, the next indication seems to be good. [2x=14 & 4x=28].

Pasipha pasipha : Fernandes, Alvarez, Gama & Silveira, 2001: 177. Brazil.

BFC28. P. 149. *Pasipha tapetilla* (Marcus, 1951).

Add the following item.

Geoplana tapetilla : Froehlich, 1966: 299. Brazil.

UNDESCRIBED GEOPLANIDAE (Geoplaninae) SPECIES (1990: BFC28, pp. 162-165; 1994: BFC32, p. 77; 2000: BFC38, p. 91)

Geoplana sp. of Brazil. Almeida, Takano & E. M. Froehlich, 1995.

Geoplana sp.: Almeida, Takano & E. M. Froehlich, 1995: 435 (C52). Brazil.

BFC38. P. 91. Undescribed Geoplanidae (Geoplaninae) Species. *Notogynaphallia marginata* sensu von Graff, 1899, of RS Brazil. Leal-Zanchet & Carbayo, 2000. Add the following item.

Notogynaphallia marginata [sensu] Graff, 1899: Carbayo, Leal-Zanchet & Vieira, 2001: 223-224. National Forest of São Francisco de Paula, Rio Grande do Sul / Brazil.

BFC38. P. 91. *Notogynaphallia marginata* sensu Marcus, 1951, of RS Brazil. Leal-Zanchet & Carbayo, 2000. Add the following items.

Notogynaphallia marginata [in Marcus, 1951 = *Notogynaphallia* sp.]: Rocini, Alvarez & Almeida, 2000: 3 (CA006). Brazil.

Notogynaphallia marginata [sensu] Marcus, 1951: Carbayo, Leal-Zanchet & Vieira, 2001: 223-224. National Forest of São Francisco de Paula, Rio Grande do Sul / Brazil.

Note. nec *Notogynaphallia marginata* (von Graff, 1899). Cf. Ogren, Kawakatsu & Froehlich (2000). BFC38: 91.

Geoplanidae spp. of the National Forest of São Francisco de Paula, RS Brazil. Carbayo, Leal-Zanchet & Vieira, 2001.

Note. These authors reported the occurrence of the following 23 non-identified species (Geoplanidae, Geoplaninae) from RS Brazil. They are: *Choeradoplana* sp. 1; 2) *Geoplana* spp. 1-8; 3) *Notogynaphallia* spp. 1-4; 4) *Pasipha* spp. 1-2; *Xerapoa* sp. 1; 6) Geoplanidae spp. 1-6; 7) Not identified [species], 1sp.

Leal-Zanchet & E. M. Froehlich (2001, p. 225) also mentioned about *Notogynaphallia* spp. 1-3 from the same area. A more de-

tailed specific citation will be given in our future Index. Cf. Kawakatsu, Ogren & Froehlich (2000). BFC28: 91.

E. GEOPLANIDAE INDEX, PART II: CAENOPLANINAE AND PELMATOPLANINAE (1991: Bull. Fuji Women's College, No. 29, Ser. II, pp. 25-102; 1992: *Ibid.*, No. 30, Ser. II, pp. 89; 1993: *Ibid.*, No. 31, Ser. II, pp. 82-83; 1994: *Ibid.*, No. 32, Ser. II, pp. 77-82; 1995: *Ibid.*, No. 33, Ser. II, pp. 81-82; 1996: *Ibid.*, No. 34, Ser. II, p. 90; 1997: *Ibid.*, No. 35, Ser. II, pp. 58-59; 1999: *Ibid.*, No. 37, Ser. II, pp. 94-97; 2000: *Ibid.*, No. 38, Ser. II, pp. 91-94).

BFC29. P. 41. (Under *Artioposthia*.) BFC37. Pp. 94-96. *Arthurdendius triangulatus* (Dendy, 1895).

Add the following items.

Arthurdendius triangulatus : Santoro & Jones, 2001: 314.

Arthurdendius triangulatus : Winsor, 2001: 9. Macquarie Island (a volcanic island located at approximately 1370 km SE of Tasmania: 54°35' S, 158°50' E) / Australia.

BFC31. Pp. 73-74. *Australoplana sanguinea alba* (Dendy, 1891). See BFC29, pp. 54-55. *Australopacifica sanguinea* (Moseley, 1877); BFC29, pp. 61-62. *Caenoplana alba* (Dendy, 1891); BFC36, p. 78. Add the following items.

Australoplana sanguinea alba : Jones, Green, Harrison & Palin, 2001: 217-220, figs. 1-6 (ecological graphs). Southport, England / U. K.

Australoplana sanguinea alba: Santoro & Jones, 2001: 313-327, figs. 1-3 (ecological graphs). Shirdley Hill, near Southport, Lancashire / U. K.

BFC29. Pp. 79-80. *Kontikia bulbosa* Sluys, 1983. Add the following item.

Kontikia bulbosa : Almeida, Takano & E. M. Froehlich, 1995: 435 (C52).

BFC29. P. 81. *Kontikia kenneli* (von Graff, 1899). Add the following item.

Kontikia kenneli : Froehlich, 1966: 299.

BFC29. P. 83. *Kontikia orana* Froehlich, 1955. Add the following item.

Kontikia orana : Froehlich, 1966: 299. Brazil.

UNDESCRIBED GEOPLANIDAE (Caenoplaninae) SPECIES (1991: BFC29, pp. 95-96; 1994: BFC32, p. 82; 1997: BFC35, p. 59; 1998: BFC36, p. 78; 2000: BFC38, pp. 94-95.)

Arthurdendius sp. of Macquarie Island. Winsor, 2001. New species of *Arthurdendius*: Winsor, 2001: 9. Macquarie Island / Australia.

Undescribed species from the South Island of New Zealand: Winsor, 2001: 9. New Zealand.

Parakontikia sp. of Brazil. Almeida, Takano & E. M. Froehlich, 1995.

Parakontikia sp.: Almeida, Takano & E. M. Froehlich, 1995: 435 (C52). Brazil.

REFERENCES

- ALMEIDA, E. J. C., TAKANO, A. S. & FROEHLICH, E. M., 1995. Análise do cariótipo de duas espécies da família Geoplanidae (Platyhelminthes, Tricladida, Terricola). Revista Brasileira Genética, 18 (3)-Suppl. (41º Congres. Nacion. De Genét., 6 a 9 Setem. de 1995): 435.
- ALVAREZ, L. & ALMEIDA, E. J. C. DE, 1996a. Análise cariotípica com indicação de mixoploidia em duas espécies de planárias terrestres: *Geoplana burmeisteri* e *Geoplana quagga*. Rev. Brasil. Gen., 19 (3)-Suppl. (42º Congres Nacion. de Genét., 4 a 7 Setem. de 1996): 113. 1996b. Descrição do cariótipo e dos padrões de bandas C na planária terrestre *Dolichoplana carvalhoi* (Platyhelminthes, Tricladida). *Ibid.*, 19 (3)-Suppl.: 113. 1998a. Detecção de mixoploidia em dois espécimes recém-colodidos de *Geoplana burmeisteri* (Platyhelminthes, Tricladida, Terricola). *Ibid.*, 21 (3)-Suppl.: (44º Congres Nacion. de Genét., 9 a 12 de Setem. de 1998): 55. 1998b. Ocorrência de triploidia em exemplares da planária terrestre *Dolichoplana carvalhoi* (Tricladida, Terricola). *Ibid.*, 21 (3)-Suppl.: 55. 1998c. Análise citogenética comparativa entre duas espécies de planárias terrestres pertencentes ao gênero *Geoplana*. *Ibid.*, 21 (3)-Suppl.: 55. 2000. Estudo das regiões organizadoras de nucléolos e do padrão de bandas G na planária terrestre *Geoplana burmeisteri* (Tricladida, Terricola). *Ibid.*, 23 (3)-Suppl. (46º Congres Nacion. de Genét., 19 a 23 e Septem. de 2000): 3-4.
- ALVAREZ, L., ALMEIDA, E. J. C. & FROEHLICH, E. M., 1995. Análise citogenética com indicação de poliploidia em duas espécies de planárias terrestres (Platyhelminthes, Tricladida). Rev. Brasil. Gen., 18 (3)-Suppl. (41º Congres. Nacion. de Genét., 6 a 9 Setem. de 1995): 434.
- BAKHMADZE, G. B. & KIIASHKO, P. V. (= BAKHTADZE, G. B. & KIJASHKO, P. V.), 2000. Nazemiye planarii (Terricola, Tricladida, Turbellaria) – Pervye dannye dlia fauny Rossii (Predvaritel'noe Soobshchenie). Nauchaia Mysl' Kavkaza, Biologiia Meditsina, (6 for 2000): 33-36. Authors' English Abstract attached to the reprint: Terrestrial planarians (Terricola, Tricladida, Turbellaria) – the first data for Russian fauna (Preliminary Report).
- BEAUCHAMP, P. DE, 1930. Turbellariés Triclades de l'Inde méridionale. Rev. Suisse Zool., 37 (23): 673-746 + pl. 8.
- CARBAYO, F., LEAL-ZANCHET, A. M. & VIEIRA, E. M., 2001. Land planarians (Platyhelminthes, Tricladida, Terricola) as indicators of man-induced disturbance in a South Brazilian rainforest. Belg. Jour. Zool., 131 (Suppl. 1): 223-224.
- FERNANDES, M. C., ALVAREZ, E. P., GAMA, P. & SILVEIRA, M., 2001. The sensory border of the land planarian *Bipalium kewense* (Tricladida, Terricola). Belg. Jour. Zool., 131 (Suppl. 1): 173-178.
- FROEHLICH, C. G., 1996. Notas sobre a ecologia de planárias terrestres. In: RAPOPORT, E. H. (ed.), Monografias I. Progresos en biologia del suelo actas del primer coloquio Latinoamericano de biologia del suelo. Realizado en la Universidad Nacional der sur Bahia Blanca (Argentina) 13-17 Octubre 1966 (Centro de cooperación científica de la UNESCO para américa latina), pp. 299-301. Montevideo.
- GARCIA, L. R., ALVAREZ, L. & ALMEIDA, E. J. C. DE, 1998a. Estudio citogenético indicação de mixoploidia em uma espécie de planária terrestre: *Pasipha pasipa*. Rev. Brasil. Gen., 21 (3)-Suppl. (44º Congres. Nacion. de Genét., 9 a 12 de Setem. de 1998): 56. 1998b. Caracterização do cariótipo e do padrão de bandas C em *Geoplana marmorata* (Platyhelminthes, Tricladida, Terricola). *Ibid.*, 21 (3)-Suppl.: 56.
- GRAFF, L. VON, 1899. *Monographie der Turbellarien. II. Tricladida Terricola (Landplanarien)*. Pp. i-ixv + 1-574; *Atlas von Achtundfunfzig Tafeln zur Monographie der Turbellarien, II. Tricladida Terricolen (Landplanarien)*. Pls. I-LVIII. Verlag von Wilhelm Engelmann, Leipzig.
- JONES, H. D., GREEN, J., HARRISON, K. & PALIN, D. W., 2001. Further monthly records (1994 to 2000) of size and abundance in a population of the "Australian" flatworm, *Australoplana sanguinea alba* in the U. K. Belg. Jour. Zool., 131 (Suppl. 1): 217-220.
- KAWAKATSU, M., OGREN, R. E. & FROEHLICH, E. M., 2000. Additions and corrections of the previous land planarian indices of the world (Turbellaria, Seriata, Tricladida, Terricola). Additions and corrections of the previous land planarian indices of the world-8 (2). Bull. Fuji Women's College, (38), II: 83-103.
- KUBOTA, S., YAMAMOTO, K. & KAWAKATSU, M., 2001. First distributional record of three bipaliid species (Platyhelminthes, Turbellaria, Tricladida) in Wakayama Prefecture, Honshû, Japan. Nanki-Seibutsu, 43 (1): 6-10. (In Japanese, with English abstract and explanation of figures.)
- LEAL-ZANCHET, A. M. & CARBAYO, F. 2001. Two new species of Geoplanidae (Platyhelminthes, Tricladida, Terricola) of south Brazil. Jour. Zool., Lond., 253: 433-446.

- LEAL-ZANCHET, A. M. & FROELICH, E. M. 2001. A species complex in the genus *Notogynaphallia* (Platyhelminthes, Tricladida, Terricola). Belg. Jour. Zool., 131 (Suppl. 1): 225-226.
- MAKINO, T., 2000. Distribution and regeneration of *Bipalium nobile* and *Stylochoplana pusilla* at Tamano City, Okayama Pref., Japan (Guide: MIYAZAKI, T.). Dai 43kai Nihon Gakusei Kagakushô Zenshû, pp. 68-69. Kyôiku-Hôdôsha, Tôkyô. (In Japanese.)
- MATEOS, E., GIRIBET, G. & CARRANZA, S., 1998. Terrestrial planarians (Platyhelminthes, Tricladida, Terricola) from the Iberian Peninsula: first records of the family Rhynchodemidae, with the description of a new *Microplana* species. Contrib. Zool., 67 (4): 267-276. A website of this paper: <http://www.uba.uva.nl/ctz/vol67/nr4/art04/6704a04.html>
- MIZUNO, J. & TAKEDA, N., 1988a. Phylogenetic study of the oxytocin-like immunoreactive system in invertebrates. Compar. Biochem. Physiol., 91A (4): 733-738. 1988b. Phylogenetic study of the arginine-vasotocin / arginine-vasopressin-like immunoreactive system in invertebrates. Ibid., 91A (4): 739-747.
- NUNOMURA, N. & HIRAUCHI, Y., 2001. Soil fauna among the litters at Jonan Park, Toyama City, Central Japan-1. Bull. Toyama Sci. Mus., (24): 33-36. (In Japanese.)
- OGREN, R. E. & KAWAKATSU, M., 1987. Index to the species of the genus *Bipalium* (Turbellaria, Tricladida, Terricola). Bull. Fuji Women's College, (25), II: 79-119. 1988. Index to the species of the family Rhynchodemidae (Turbellaria, Tricladida, Terricola). Part I: Rhynchodeminae. Ibid., (26), II: 39-91. 1989. Do. Part II: Microplaninae. Ibid., (27), II: 53-111. 1990. Index to the family Geoplanidae (Turbellaria, Tricladida, Terricola). Part I: Geoplaninae. Ibid., (28), II: 79-166. 1991. Do. Part II: Caenoplaninae and Pelmatoplaninae. Ibid., (29), II: 25-102.
- OGREN, R. E., KAWAKATSU, M. & FROELICH, E. M., 1992. Additions and corrections of the previous land planarian indices of the world (Turbellaria, Tricladida, Terricola). Bull. Fuji Women's College, (30), II: 59-103. 1993a. Do. Addendum I. Combined taxonomic index: Bipaliidae; Rhynchodemidae (Rhynchodeminae; Microplaninae); Geoplanidae (Geoplaninae; Caenoplaninae; Pelmatoplaninae) – Exclusive of WINSOR's Second 1991 paper --. Ibid., (31), II: 33-60. 1993b. Do. Addendum II. HALLEZ's (1890-1893, 1894) classification system of land planarians. Addendum III. WINSOR's (1991b) provisional classification of Australian and New Zealand caenoplanid land planarians. Ibid., (31), II: 61-86.
- OGREN, R. E. & SLUYS, R., 2001. The genus *Humbertium* gen. nov., a new taxon of the land planarian family Bipaliidae (Tricladida, Terricola). Belg. Jour. Zool., 131 (Suppl. 1): 201-204.
- PEARCE-KELLY, P. & CLARKE, D., 1995. IUCN/SSC Mollusc Specialist Group. IUCN/SSC Conservation Breeding Specialist Group. Pacific Island Land Snail Group. Statement of Concern. Tentacle (The Newsletter of the IUCN/SSC, etc.), (5): 13.
- ROCINI, C., ALVAREZ, L. & ALMEIDA, E. J. C. DE, 1998. Análise cariotípica na planária terrestre *Geoplana ladislavii* (Tricladida, Terricola). Rev. Brasil. Gen., 21, (3)-Suppl. (44º Congres Nacion de Genét., 9 a 12 de Setem. de 1998): 56. 2000. Estudos cromossômicos comparativos em três espécies de planárias terrestres do gênero *Notogynaphallia* (Platyhelminthes, Tricladida, Terricola). Ibid., 23 (3)-Suppl. (46º Congres. Nacion. de Genét., 19 a 23 de Setem. de 2000): 3.
- SANTORO, G. & JONES, H. D., 2001. Comparison of the earthworm population of a garden infested with the Australian land flatworm (*Australoplana sanguinea alba*) with that of a non-infested garden. Pedobiologia, 45: 313-328.
- SHIRASAWA, Y. & YOSHIHAMA, I., 2000. Oocytes in parenchyma in the land planarian, *Bipalium* sp. Zool. Sci., Tôkyô, 17-Suppl.: 38. 2001. Oocytes in parenchyma in the land planarian, *Bipalium* sp. Bull. Tokyo Med. Univ., (27): 39-49 (+ pls. 1-5). (In Japanese, with English abstract and explanation of figures.)
- STIMPSON, W. 1857. Prodromus descriptiones animalium evertibratorum quae in Expeditione ad Oceanum, Pacificum Septentrionalem a Republica Federata missa, Johanne Rodgers Duce, observavit et descripsit. Proc. Acad. Nat. Sci. Philad., 9: 19-31. 1861a. On the genus *Bipaliura*. Amer. Jour. Sci., Arts. 2, ser. 31: 134-135. 1861b. On the genus *Bipalium*. Ann. Mag. Nat. Hist., ser. 3, VII: 231-232.
- WINSOR, L., 2001. Land planarians found on Macquarie Island. Invertebrata: Tasmania's Invertebrate Newsletter, (20): 9.
- YAMAMOTO, K., 2000. *Bipalium* sp. Kumamoto-1. Junshin Chûgakkô=Junshin Joshi Kôtôgakkô Kiyô, (27): 39-41. (In Japanese.)
- YAMAMOTO, K., TAKAI, M., OGREN, R. E. & KAWAKATSU, M., 2001. Chromosomes of bipaliid land planarians from the vicinity of Nagasaki in Kyûshû, Southern Japan (Platyhelminthes, Tricladida, Terricola). Belg. Jour. Zool., 131 (Suppl. 1): 221-222.

The following papers on land planarians do not include species names.

- OKOCH, I., SATO, H. & OHBAYASHI, T., 1999. Are planarians a natural enemy of endemic snails in the Ogasawara Islands? Program & Abstracts of the 46th Ann. Meet. of the Ecol. Soc. of Japan held in Matsuyama, on March 27-30, 1999, p. 250. (In Japanese.)

WINSOR, L., 2001. Confessions of a serial sectioner. *Invertebrata: Tasmania's Invertebrate Newsletter*, (20): 12.

Addresses of the Authors :

Dr. Masaharu KAWAKATSU, 9jô 9chôme 1-8, Shinkotoni, Kita-ku, Sapporo (Hokkaidô) 001-0909, Japan.
Fax (International: +81-11-762-4450); (Domestic: 011-762-4450).
E-mail (Miss Miyuki Kawakatsu): DQA01524@nifty.ne.jp (The 4th letter is "zero", not O in alphabet.)

Dr. Robert E. OGREN, Professor of Biology, Emeritus, Wilkes University, Wilkes-Barre, Pennsylvania 18766, U. S. A. (Home address: 88 Lathrop Street, Kingston, Pennsylvania 18704, U. S. A.).
E-mail: 74200.1200@compuserve.com; REOgren@compuserve.com
Website URL [<http://course.wilkes.edu/REOgren>]

Dr. Eudoxia Maria FROEHLICH, Professor of Biology, Emeritus, Instituto de Biociências, Departamento de Zoologia, Universidade de São Paulo, Rua de Matão, Travessa 14, N° 321, CEP 05508-900, Cidade Universitária, São Paulo, Brasil. (or: Universidade de São Paulo, Departamento de Zoologia, Cx. Postal 11461 – S. P. Brazil, CEP: 05422-970).
Fax (International: +55-11-818-7416). E-mail: emfroeh@ib.usp.br

Mr. Gen-yu SASAKI, Biology teacher of Jônán High School of Tôkyô. Home address: Roppongi 1-3-49, Minato-ku, Tôkyô 106-0032, Japan.
Tel. (International: +81-3-3585-1785); (Domestic: 03-3585-1785).
E-mail: gen-yu@mtc.biglobe.ne.jp

December 25, 2001.